



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/626,732	07/25/2003	Junji Nishida	R2180.0164/P164	9686
24998	7590	11/03/2005	EXAMINER	
DICKSTEIN SHAPIRO MORIN & OSHINSKY LLP			PIGGUSH, AARON C	
2101 L Street, NW			ART UNIT	
Washington, DC 20037			PAPER NUMBER	
			2838	

DATE MAILED: 11/03/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/626,732

Applicant(s)

NISHIDA, JUNJI

Examiner

Aaron Piggush

Art Unit

2838

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 18 August 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-36 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-5, 9, 10, 13-18, 20-27, 31, 32, 35 and 36 is/are rejected.
- 7) ☒ Claim(s) 6-8, 11, 12, 19, 28-30, 33 and 34 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 18 August 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
- 1) ☒ Certified copies of the priority documents have been received.
  - 2) ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date: _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                    | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____  |

Art Unit: 2838

## DETAILED ACTION

### *Claim Rejections - 35 USC § 102*

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-3, 10, 15, 16, 23-25, and 32 are rejected under 35 U.S.C. 102(b) as being anticipated by Broell (US 5,710,506).

With respect to claim 1, Broell discloses a battery charging apparatus (col 2 ln 19-21) which charges a secondary battery, comprising:

a voltage detecting circuit for detecting a battery voltage of said secondary battery and for outputting a signal in response to said detected battery voltage (12 and 36 in Fig. 1 and col 23 ln 57-58);

a current detecting circuit for detecting a battery current supplied to said secondary battery and for outputting a signal in response to said detected battery current (14, 20, and 36 in Fig. 1 and col 24 ln 37-38);

a charging circuit for controlling a current supply to said secondary battery to charge said secondary battery (28 and 36 in Fig. 1) such that said battery voltage detected by said voltage detecting circuit becomes substantially equal to a first pre-set battery voltage in response to a first input control signal applied thereto (col 2 ln 55-58 and col 24 ln 17-22) and also such that a charging current detected by the current detecting circuit becomes substantially equal to a

Art Unit: 2838

charging current predetermined in response to a second input control signal applied thereto (col 2 ln 55-58 and col 24 ln 17-22); and

a charge control circuit (36 and 40 in Fig. 1) that instructs said charging circuit by sending said first and said second input control signals applied to said charging circuit to set said battery voltage and said charging current in response to a voltage indicated by said signal outputs from said voltage detecting circuit and said current detecting circuits respectively (col 2 ln 52-56).

With respect to claim 2, Broell discloses the battery charging apparatus as defined in Claim 1, wherein the charge control circuit instructs the charging circuit to perform a constant current charging in which a charging is executed to flow a first constant current to the secondary battery and subsequently another charging is executed to flow a second constant current greater than the first constant current to the secondary battery when the battery voltage of the secondary battery is smaller than a second pre-set voltage (col 2 ln 65-67 to col 3 ln 1-3), and instructs the charging circuit to perform pulse charging (col 10 ln 23-31), in which flowing current to said secondary battery and pausing current flow to said secondary battery are alternately performed at intervals of a pre-determined time period (Fig. 4 and 5).

With respect to claim 3, Broell discloses the battery charging apparatus as defined in claim 2, wherein the charge control circuit instructs the charging circuit to control the charging current flowing to the secondary battery such that the battery voltage becomes substantially equal to a third constant voltage during the constant current charging during the pulse charging (Fig. 5 and col 10 ln 12-14) and also such that the battery voltage becomes substantially equal to

Art Unit: 2838

the first constant voltage smaller than the third constant voltage during the pausing in the pulse charging (Fig. 5 and col 10 ln 24-27).

With respect to claim 10, Broell discloses the battery charging apparatus as defined in claim 3, wherein the first constant voltage is a voltage greater than an over discharge voltage of the secondary battery (col 8 ln 61-62 and Fig. 3 and 5) and the third constant voltage is a voltage substantially equal to a full charge voltage of the secondary battery (col 10 ln 20-21 and Fig. 3 and 5).

With respect to claim 15, Broell discloses a charging method (col 2 ln 19-21) for a secondary battery, comprising the steps of:

first performing a first constant current charging by supplying a first constant current to the secondary battery when a battery voltage of the secondary battery is smaller than a first pre-set voltage (Fig. 3 and 5 and col 2 ln 65-67);

second performing a second constant current charging by supplying a second constant current greater than the first constant current to the secondary battery when the battery voltage of the secondary battery is greater than the first pre-set voltage (Fig. 3 and 5 and col 2 ln 66-67 to col 3 ln 1-3); and

operating a pulse charging when the battery voltage of the secondary battery becomes equal to or greater than a second pre-set voltage greater than the first pre-set voltage by alternately carrying out at intervals of a predetermined time period, a constant current charging in which the second constant current is supplied to the secondary battery and a pausing in which the supply of the constant current charging is stopped (Fig. 5 and col 10 ln 23-31).

Art Unit: 2838

With respect to claim 16, Broell discloses the battery charging apparatus as defined in claim 15, however, does not disclose expressly wherein the operating step comprises a step of controlling the charge current to the secondary battery such that the battery voltage of the secondary battery becomes substantially equal to a third constant voltage during the constant current charging of the pulse charging (Fig. 5 and col 10 ln 12-14) and such that the battery voltage of the secondary battery becomes substantially equal to a first constant voltage smaller than the third constant voltage during the pausing of the pulse charging (Fig. 5 and col 10 ln 24-27).

With respect to claim 23, refer to the rejection for claim 1, as noted above.

With respect to claim 24, refer to the rejection for claim 2, as noted above.

With respect to claim 25, refer to the rejection for claim 3, as noted above.

With respect to claim 32, refer to the rejection for claim 10, as noted above.

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 4, 5, 13, 14, 17, 21, 22, 26, 27, 35, and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Broell (US 5,710,506) in view of Eguchi (US 5,808,446).

With respect to claim 4, and as noted above under the rejection under 35 U.S.C. 102(b), Broell discloses the battery charging apparatus as defined in claim 3, however, does not expressly disclose wherein the charge control circuit instructs the charging circuit to perform the

Art Unit: 2838

constant current charging to supply the second constant current to the secondary battery when the battery voltage becomes substantially equal to a third pre-set voltage greater than the second pre-set voltage and also to perform the constant voltage charging to control the charging current such that the battery voltage becomes substantially equal to the third constant voltage when the battery voltage becomes substantially equal to a fourth pre-set voltage greater than the third pre-set voltage.

Eguchi discloses a method for charging in which the battery is charged with a constant current until it becomes equal to the full-charge voltage (col 7 ln 65-67 to col 8 ln 1-3), and then the battery is charged with a constant voltage so that the voltage battery after subtraction of the IR loss and the IRP loss finally equals the full-charge voltage (col 8 ln 15-19), and this method helps prevent the battery from exceeding the full-charge voltage after the losses are taken into effect (col 8 ln 18-19).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the battery charging apparatus of Broell to perform constant current charging when the battery voltage becomes equal to a pre-set voltage and to perform constant voltage charging when the battery voltage becomes greater than another pre-set voltage, as was the charging apparatus of Eguchi, so that the full-charge can be reached after the losses are taken into effect.

With respect to claim 5, and as noted above under the rejection under 35 U.S.C. 102(b), Broell discloses the battery charging apparatus as defined in claim 3, however, does not expressly disclose wherein the charge control circuit instructs the charging circuit to control the charging current flowing through the secondary battery such that the battery voltage becomes

Art Unit: 2838

substantially equal to the third constant voltage during the constant current charging before the pulse charging is executed.

Eguchi discloses a method in which the charging current is cut off after a predetermined time after a reference voltage is reached, the current is supplied again after the voltage drops down below the reference voltage, and then that process is repeated (col 8 ln 30-43), so that the voltage can become satisfactorily charged without being overcharged (col 8 ln 36-43).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the battery charging apparatus of Broell to control the charging current such that the battery voltage becomes substantially equal to the third constant voltage during the constant current charging before the pulse charging, as was the charging apparatus of Eguchi, so that the voltage can become satisfactorily charged without being overcharged.

With respect to claim 13, and as noted above under the rejection under 35 U.S.C. 102(b), Broell discloses the battery charging apparatus as defined in claim 1, however, does not expressly disclose wherein the secondary battery is a nonaqueous secondary battery.

Eguchi discloses a battery charging apparatus which enables safe and satisfactory charging of non-aqueous batteries (col 1 ln 66-67 to col 2 ln 1-2), so that non-aqueous and aqueous batteries could both be charged using the same device (col 1 ln 57-59).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the battery charging apparatus of Broell so that the secondary battery was a non-aqueous battery, so that either non-aqueous or aqueous batteries could be charged using the same device.



Art Unit: 2838

With respect to claim 14, and as noted above under the rejection under 35 U.S.C. 102(b), Broell discloses the battery charging apparatus as defined in claim 1, however, does not expressly disclose wherein the secondary battery is a lithium ion battery.

Eguchi discloses a battery charging apparatus which enables safe and satisfactory charging of non-aqueous batteries (col 1 ln 66-67 to col 2 ln 1-2), including lithium ion (col 1 ln 15-18), so that non-aqueous batteries, such as lithium ion, and aqueous batteries could both be charged using the same device (col 1 ln 57-59).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the battery charging apparatus of Broell so that the secondary battery was a lithium ion battery, so that either non-aqueous batteries, such as lithium ion, or aqueous batteries could be charged using the same device.

With respect to claim 17, and as noted above under 35 U.S.C. 102(b), Broell discloses the battery charging apparatus as defined in claim 15, however, does not expressly disclose the charging method as defined in claim 16, further comprising steps of first executing a constant current charging in which the constant current charging with the second constant current is performed to the secondary battery when the battery voltage of the secondary battery becomes substantially equal to the third pre-set voltage equal to or greater than the second pre-set voltage and second executing a constant voltage charging in which the charging current is controlled such that the battery voltage of the secondary battery becomes substantially equal to the third constant voltage when the battery voltage of the secondary battery becomes substantially equal to a fourth pre-set voltage equal to or greater than the third pre-set voltage.

Art Unit: 2838

Eguchi discloses the charging method as defined in claim 16 as noted above, further comprising steps of charging with a constant current until the battery voltage becomes equal to the full-charge voltage (col 7 ln 65-67), and then a constant voltage charge is used so that the current is progressively reduced without causing the battery voltage to exceed the full-charge voltage (col 7 ln 67 to col 8 ln 1-3) where the IR loss and the IRP loss are taken into effect (col 8 ln 16-19), so that the battery is not caused to exceed the full-charge voltage (col 8 ln 2-3).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the battery charging apparatus of Broell to include steps of charging with a constant current when the battery voltage becomes substantially equal to the third pre-set voltage and then charging with a constant voltage when the battery becomes substantially equal to a fourth pre-set voltage equal to or greater than the third pre-set voltage.

With respect to claim 21, and as noted above under the rejection under 35 U.S.C. 102(b), Broell discloses the battery charging apparatus as defined in claim 15, however, does not expressly disclose wherein the secondary battery is a nonaqueous secondary battery.

Eguchi discloses a battery charging apparatus which enables safe and satisfactory charging of non-aqueous batteries (col 1 ln 66-67 to col 2 ln 1-2), so that non-aqueous and aqueous batteries could both be charged using the same device (col 1 ln 57-59).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the battery charging apparatus of Broell so that the secondary battery was a non-aqueous battery, so that either non-aqueous or aqueous batteries could be charged using the same device.

Art Unit: 2838

With respect to claim 22, and as noted above under the rejection under 35 U.S.C. 102(b), Broell discloses the battery charging apparatus as defined in claim 15, however, does not expressly disclose wherein the secondary battery is a lithium ion battery.

Eguchi discloses a battery charging apparatus which enables safe and satisfactory charging of non-aqueous batteries (col 1 ln 66-67 to col 2 ln 1-2), including lithium ion (col 1 ln 15-18), so that non-aqueous batteries, such as lithium ion, and aqueous batteries could both be charged using the same device (col 1 ln 57-59).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the battery charging apparatus of Broell so that the secondary battery was a lithium ion battery, so that either non-aqueous batteries, such as lithium ion, or aqueous batteries could be charged using the same device.

With respect to claim 26, refer to the rejection for claim 4, as noted above.

With respect to claim 27, refer to the rejection for claim 5, as noted above.

With respect to claim 35, refer to the rejection for claim 13, as noted above.

With respect to claim 36, refer to the rejection for claim 14, as noted above.

5. Claims 9, 20, and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Broell (US 5,710,506) in view of Saeki (US 6,452,364).

With respect to claim 9, and as noted above under 35 U.S.C. 102(b), Broell discloses the battery charging apparatus as defined in claim 2, however, does not expressly disclose the apparatus further comprising a charge-end detecting circuit that determines an event that indicates a charging is completed relative to the second battery and outputs a predetermined signal when the charging current detected by the current detecting circuit becomes lower than the

Art Unit: 2838

first constant current, and wherein the charge control circuit causes the charging circuit to stop the charging upon receiving the signal indicative of a charge end output from the charge-end detecting circuit.

Saeki discloses a battery charging apparatus where the operation of the control unit is stopped, which ends the charging of the battery (col 12 ln 8-10), after it has been determined that the battery is fully charged (col 12 ln 7-8) and after the charging current is determined to be lower than a predetermined value (col 11 ln 60-61), so that there is a detection of the completed charge, and one of ordinary skill in the art knows that such implementation would keep the battery from being overcharged and therefore damaged.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the battery charging apparatus of Broell to include a charge-end detecting circuit wherein the charging is stopped after receiving a charge end signal, and one of ordinary skill in the art knows that such implementation would keep the battery from being overcharged and therefore damaged.

With respect to claim 20, and as noted above under 35 U.S.C. 102(b), Broell discloses the battery charging apparatus as defined in claim 15, however, does not expressly disclose the charging method further comprising steps of determining that the charging is completed when the charging current to the secondary battery becomes substantially equal to a predetermined current value smaller than the first constant current and subsequently terminating the charging to the secondary battery.

Saeki discloses a battery charging apparatus where the operation of charging is stopped when the charging current reaches a predetermined level (col 6 ln 42-45 and Fig. 5B), so that

Art Unit: 2838

there is a detection of the completed charge, and one of ordinary skill in the art knows that such implementation would keep the battery from being overcharged and therefore damaged.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the battery charging apparatus of Broell to include steps of determining that the charging is completed when the charging current to the secondary battery becomes substantially equal to a predetermined current value and subsequently terminating the charging, and one of ordinary skill in the art knows that such implementation would keep the battery from being overcharged and therefore damaged.

With respect to claim 31, refer to the rejection for claim 9, as noted above.

***Allowable Subject Matter***

6. Claims 6-8, 11, 12, 19, 28-30, 33, and 34 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 6 and 28 recite, inter alia, a battery charging apparatus as defined in claims 3 and 25, wherein the charge control circuit instructs the charging circuit to control the charging current such that the battery voltage becomes equal to the first constant voltage when it is smaller than the first pre-set voltage and such that the battery voltage becomes equal to the second constant voltage during the constant current charging before the pulse charging.

Claims 7 and 29 recite, inter alia, the battery charging apparatus as defined in claims 5 and 27, wherein the charging circuit further comprises a constant voltage generating circuit that generates first, second, and third voltages, a voltage switching circuit that selects and outputs one of the first and third constant voltages in accordance with control signals, and a control circuit

Art Unit: 2838

that controls the transistor such that the battery voltage and current become equal to signals that represent a voltage and current from the voltage and signal switching circuits.

Claims 8 and 30 recite the same battery charging apparatus as claims 7 and 29 above, except that claim 8 is dependent on claim 6 instead of claim 5, and claim 30 is dependent on claim 28 instead of claim 27.

Claims 11 and 33 recite, inter alia, the battery charging apparatus as defined in claims 7 and 29.

Claims 12 and 34 recite, inter alia, the battery charging apparatus as defined in claims 8 and 30.

Claim 19 recites, inter alia, the charging method as defined in claim 1, wherein the charging current to the secondary battery is controlled such that the battery voltage becomes equal to the first constant voltage when it is smaller than the first pre-set voltage during the first constant current charging and such that the battery voltage becomes equal to the second constant voltage during the first constant current charging.

The art of record does not disclose the above limitations, nor would it be obvious to modify it in such a manner.

### ***Response to Arguments***

7. Applicant's arguments filed August 18, 2005 have been fully considered but they are not persuasive.

With regard to the argument for claims 1 and 15 regarding the Broell reference, applicant argues that Broell's device detects a decrease over time in a battery voltage. However, Broell

Art Unit: 2838

also teaches detection of an increase in battery voltage (col 2 ln 65 to col 3 ln 8 and col 24 ln 56-62).

Additionally, the applicant's claim does not require detecting an increase in the battery voltage in order to control the circuit. The claims only recite that the "detected battery voltage increases to become..." however, even if it does disclose controlling the circuit by using the detected battery voltage increase, Broell discloses this, as noted above.

With regard to the argument for combination of Eguchi and Saeki with Broell, applicant argues that the references teach away from each other. However, it is noted that at the time of the invention, it would have been obvious to a person of ordinary skill in the art to combine Eguchi and Saeki with Broell in order to modify the device of Broell, so that the device disclosed by the applicant could be matched, without destroying the Broell reference.

### ***Conclusion***

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Art Unit: 2838

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aaron Piggush whose telephone number is 571-272-5978. The examiner can normally be reached on Monday-Friday 8:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Karl Easthom can be reached on 571-272-1989. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AP

  
KARL D. EASTHOM  
PRIMARY EXAMINER